

Applicant(s) : MATHIEU GAGNE, HAIM KOPLOVITZ AND ISHAY KEDEM
Serial No. : CONTINUATION OF 09/879,347 00-142
Filed:

In the Claims

Please cancel claims 1 through 33 and add claims 34 through 44 as follows:

Claims 1-33 (canceled)

34 (new). In a data processing system with a host and a data storage facility including a cache memory, a standard storage device for receiving write commands and data from the host through the cache memory and a BCV mirror storage device for backing up the standard storage device wherein each of the storage devices comprises a plurality of tracks on a physical disk and the BCV mirror storage device operates either in a first, write-enabled, mirror mode for mirroring the first storage device or in a split mode isolated from the first storage device, a track identification table for each of storage device defining the status of the data in each track of the standard and BCV mirror storage devices, a data recovery program for restoring data in the standard storage device comprising:
A) a program step for attaching the BCV mirror storage device in a read-only state to the standard storage device,

Applicant(s): MATHIEU GAGNE, HAIM KOPLOVITZ AND ISHAY KEDEM
Serial No.: CONTINUATION OF 09/879,347 00-142
Filed:

- 20 B) a program step for identifying tracks to be restored from the BCV mirror storage device to the standard storage device, and
- 25 C) a program module for initiating concurrent restoration and updating of the data in each track to be restored by performing the steps of:
- 30 i) copying the data from the identified track in the BCV mirror storage device to the cache memory in response to the information in the track identification table associated with the standard storage device,
- 35 ii) transferring update data received from the host for the track to the cache memory, and
- 40 iii) responding to a predetermined track status for a standard storage device track by transferring corresponding data from the cache memory to the standard storage device.

35 (new). A data recovery program as recited in claim 34 additionally including a step of identifying the locations in the standard storage device that are altered during the updating procedure.

Applicant(s) : MATHIEU GAGNE, HAIM KOPLOVITZ AND ISHAY KEDEM
Serial No. : CONTINUATION OF 09/879,347 00-142
Filed:

5

36 (new). A data recovery program as recited in claim 35
wherein each said update transfer comprises a writing
process that writes data to the standard storage device
and wherein said program additionally comprises a program
step for monitoring the operation of the copying and
writing processes to enable the restoration and update
transfers.

5

10

37 (new). A data recovery program as recited in claim 36
wherein each of the data storage devices maintains status
information for monitoring the validity of the data in the
storage locations of the standard and BCV mirror storage
devices and wherein said step of data copying transfers
data to a storage location in the standard storage device
prior to a write operation whereby the status information
for the standard and BCV mirror storage devices indicate
that the data in those locations are invalid and valid,
respectively.

38 (new). A data recovery program as recited in claim 37
wherein each update transfer writes an entire storage
location in the standard storage device and wherein the
writing process causes the status information to indicate

Applicant(s): MATHIEU GAGNE, HAIM KOPLOVITZ AND ISHAY KEDEM
Serial No.: CONTINUATION OF 09/879,347 00-142
Filed:

5 that the data in the standard and BCV mirror storage devices are valid and invalid, respectively.

39 (new). A data recovery program as recited in claim 37 wherein an update transfer step writes a portion of a storage location in the standard storage device, said writing process causing the status information to indicate that the data in the storage locations in the standard and BCV mirror storage devices are invalid and valid, respectively, whereby said copy process initiates a transfer of the combined written data and data from the BCV mirror storage device to the storage location in the standard storage device.
10

40 (new). A data recovery program as recited in claim 37 wherein each of the data storage devices has associated status information for monitoring the validity of the data in the storage locations of the standard and BCV mirror storage devices and wherein an update transfer step writes data to a storage location in the standard storage device prior to the restoration procedure, the transfer of data to a location in the standard storage device by the writing process being dependent upon an indication in the

Applicant(s): MATHIEU GAGNE, HAIM KOPLOVITZ AND ISHAY KEDEM
Serial No.: CONTINUATION OF 09/879,347 00-142
Filed:

10 status information of valid data in the standard storage device location.

41 (new). A data recovery program as recited in claim 37 wherein each of the data storage devices has associated status information for monitoring the validity of the data in the storage locations of the standard and BCV mirror storage devices and wherein an update data transfer step writes data to a portion of a storage location in the standard storage device prior to the restoration procedure, the writing process leaving the status information unchanged whereby subsequently the copy process initiates a transfer of the combined data in the corresponding location of the BCV mirror storage device and the written data to the location in the standard storage device.

10
5 42 (new). A data recovery program as recited in claim 41 wherein said data copying additionally includes the step of causing the status information for the storage locations in standard and BCV mirror data storage devices to assume invalid and valid states, respectively.

Applicant(s) : MATHIEU GAGNE, HAIM KOPLOVITZ AND ISHAY KEDEM
Serial No. : CONTINUATION OF 09/879,347 00-142
Filed:

43 (new). A data recovery program as recited in claim 34 wherein said copying of data by the restoration procedure includes an identification of all the data in the BCV mirror storage device.

5

44 (new). A data recovery program as recited in claim 34 wherein the standard and BCV mirror storage devices are further characterized by a second identification of data that reflects changes in the standard storage device after the BCV mirror storage device transfers to the second operating mode, said first identification of data to be transferred by the restoration procedure being set to correspond to the second identification.